Dianthus

gradinar, Thursday 28 May 2009 - 19:58:50

Carnation (Dianthus) is a genus of plants Karamfilov family (Caryophyllaceae). Are mainly distributed in Europe and Asia, several species occur in North Africa, and one (Dianthus repens) - in the subpolar parts of North America. The type of garden carnation (Dianthus caryophyllus) is often grown as an ornamental flower.

Its original natural color with a pink tinge, but later received cultivars of other colors including red, white, yellow and greenish.

Although initially cha name "carnation" is used only for species Dianthus caryophyllus, it is often used for other types of Dianthus, especially for garden hybrids between D. caryophyllus and other species of the genus.

E red carnation is a symbol of sincere love. If you prefer, you have a hard character. But your choice also means that you want to go adventures. Fans of carnations in pastel colors are in need of love.

Be careful with that loves karamfilite. Tya help those who turn to it, but to their own purpose without seeking compromises as buldozer. Zhena, which firmly knows what he wants.

Some species:

Dianthus alpinus

Dianthus amurensis

Dianthus anatolicus

Dianthus arenarius

Dianthus armeria

Dianthus barbatus

Dianthus biflorus

Dianthus brevicaulis

Dianthus callizonus

Dianthus campestris

Dianthus capitatus

Dianthus carthusianorum

Dianthus caryophyllus - @048 = A:8:0@0 < D8;

Dianthus chinensis

Dianthus cruentus

Dianthus deltoides

Dianthus erinaceus

Dianthus freynii

Dianthus fruticosus

Dianthus furcatus

Dianthus gallicus

Dianthus giganteus

D: (1			
Dianthus	\sim	12012	סוונ

Dianthus gracilis

Dianthus graniticus

Dianthus gratianopolitanus

Dianthus haematocalyx

Dianthus knappii

Dianthus lusitanus

Dianthus microlepsis

Dianthus monspessulanus

Dianthus myrtinervius

Dianthus nardiformis

Dianthus nitidus

Dianthus pavonius

Dianthus petraeus

Dianthus pinifolius

Dianthus plumarius

Dianthus pungens

Dianthus repens

Dianthus scardicus

Dianthus seguieri

Dianthus simulans

Dianthus spiculifolius

Dianthus squarrosus

Dianthus subacaulis

Dianthus superbus

Dianthus sylvestris

Dianthus zonatus

Develop highly branched root system. The colors are simple or decoration, very aromatic, rich colored - pink, red, yellow or white. There are many hybrids and varieties of other colors and colorful. Cloves Shabo is resistant to drought and low temperatures. Prefers light, well-enriched soils. The seeds are sown in stages sandacheta in greenhouses from 20 December to February.

Cultivation:

Root system is relatively well-branched, but with a suction zone of greater depth. In the first year plants do not bloom and only form rosettes of pale green leaves densely located.

Flowering stems are formed in the second year and then ramp system is composed of a tuft of stems to make Polegnala base, unbranched, oblisteni the entire height.

Color table is located immediately above the leaf surface and forms a high density and intense color.

Split period is relatively short. The species flowers in June-July.

Perennial herb. Flower garden for an open bed. Suitable for rockeries.

Reproduction: reproduction is done by seeds and rarely by vegetative stem cuttings, which are sown in April-May, open bed.

Pests, Diseases: aphids, mites, rust Karamfilova.

Flower Encyclopedia

Page 3/3

Watering and fertilizing: Moderate watering. To prevent water retention. Natoryava is every 14 days. Other care: Pretsaftelite flowers are cut.

It is recommended that the planting of a permanent place to make the end of June at a height of 10.12 cm new subjects for later planting does not form a sufficient number of branches and the colors of next year decreases.